

YaraAmplix™

Seedlift[™] Plus



NOTICE Before using this product, read the entire label

Seedlift[™] Plus 8-15-0

A concentrated NP plus zinc liquid fertilizer seed treatment.

Guaranteed analysis:

Total Nitrogen (N)	8%
8% Urea Nitrogen	
Available Phosphate (P ₂ O ₅)	15%
Calcium (Ca)	
Zinc (Zn)	
Derived from urea, dicalcium phosphate, zinc oxide, zinc phosphate	

Density: 14.5 lbs/gal @ 68º F

This product is recommended for use in conjunction with a complete fertilization program based on soil or tissue analysis.

Net Content 21/2 gallons/ 9.4 litres Net weight 36lb 4oz/ 16.4 kg F1106 Guaranteed by **Yara North America, Inc.** 100 North Tampa Street, Suite 3800, Tampa, FL 33602 Customer Service: 800-234-9376 Contents made in Great Britain. Manufactured by **Yara UK Ltd.**,Manor Place,Pocklington, York, YO42 1DN, U.K.

YaraAmplix[™] Seedlift[™]Plus

ONLY APPLY TO THE INTENDED APPLICATION SITE. DO NOT APPLY NEAR WATER, STORM DRAINS, OR DRAINAGE DITCHES OR TO ANY IMPERVIOUS SURFACE. DO NOT APPLY IF HEAVY RAIN IS EXPECTED APPLICATION RATES AND TIMINGS

Contact your county agent or field consultant for specific information.

Barley: 3 to 6 quarts/ton Cereals: 3 to 6 quarts/ton Cotton: 6 to 8 quarts/ton Corn: 6 to 8 quarts/ton Oats: 3 to 6 quarts/ton Rye: 3 to 6 quarts/ton Rye: 3 to 6 quarts/ton Sorghum: 6 to 8 quarts/ton Wheat: 3 to 6 quarts/ton



Extended recommendations available at www.yara.us

ALWAYS FOLLOW THESE LABEL INSTRUCTIONS.

Mix the product thoroughly before use. Care should be taken to calibrate the machine accurately, to obtain an evenly applied correct dosage.

DIRECTION OF USE

Mix the product thoroughly before use and continue mixing during application. Care should be taken to calibrate the machine accurately, to obtain an evenly applied correct dosage. Product application to most seed is enhanced by dilution with water; typically addition of 25-35% water based on the recommended product rate will achieve good coverage but this can be varied according to the moisture content of the grain and the equipment used. This product can be used as part of a typical seed treatment slurry in combination with compatible agrochemicals. In such cases this product can replace part of the water used to prepare the slurry in order to maintain the overall volume of slurry applied.

TANK MIXING/CO-APPLICATION

Read ALL labels carefully and adhere strictly to the instructions for use. Co-application is entirely at the risk of the end-user. Before co-application of products you, or your advisor, must visit www.tankmix.com for important information. Alternatively, contact Yara for specific advice.

PRECAUTIONS

Wear suitable gloves and face shield when handling this product. Clean all equipment before and after use. Please refer to the SDS for further information, available at www.yara.com

STORAGE

Keep in a cool, dry chemical store, out of reach of children and livestock. Protect from frost and other climatic extremes. (temperatures exceeding 100°F) Dispose of contents and container in accordance with all local, regional, national and international regulations.

CONDITIONS OF SALE

This Product is sold subject to the seller's Terms and Conditions of Sale, which are available upon request. Use of the Product is acceptance by the buyer of the Terms and Conditions of Sale.

Information regarding the contents and levels of metals in this product is available on the internet at http://www.aapfco.org/metals.html



UN 3082

YaraAmplix[™] Seedlift[™]Plus

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (zinc oxide, zinc phosphate)

THIS PRODUCT IN NON-BULK PACKAGING IS A MARINE POLLUTANT WHEN TRANSPORTED BY VESSEL. HOWEVER, IT IS NOT DOT REGULATED WHEN TRANSPORTED BY HIGHWAY ONLY PER 49 CFR, 171.4(c)

Warning

H400: Very toxic to aquatic life.

H411: Toxic to aquatic life with long lasting effects.

P273: Avoid release to the environment.

P391: Collect spillage.

Yara North America, Inc. 100 North Tampa Street, Suite 3800, Tampa, FL 33602

Emergency Tel: Chemtrec 24-hours Emergency Response: 1-800-424-9300